according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** Cleaner FORCE sprayer 750 ml - blue

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use Cleaning agent.

Mixture uses advised against not available

# 1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name BIO MIO, spol. s r. o.

Address Průmyslová 520, Lukov, 76317

Czech Republic

Identification number (CRN)18811388VAT Reg NoCZ18811388Phone+420 577 211 012E-mailinfo@biomio.czWeb addresswww.biomio.cz

### Competent person responsible for the safety data sheet

Name BIO MIO, spol. s r. o. E-mail info@biomio.cz

#### 1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

# Most serious adverse effects on human health and the environment

Causes serious eye damage.

### 2.2. Label elements

# **Hazard pictogram**



# Signal word

Danger

# **Hazardous substances**

Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

tetrasodium ethylene diamine tetraacetate

### **Hazard statements**

H318 Causes serious eye damage.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

P310 Immediately call a doctor.

#### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

## **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 68131-39-5	Etoxylované alkoholy C12-C15 (INCI: C12- C15 PARETH-7)	<5	Eye Dam. 1, H318 Aquatic Acute 1, H400	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	isopropanol	<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1
Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9 Registration number: 01-2119486762-27- 0000	tetrasodium ethylene diamine tetraacetate	<5	Acute Tox. 4, H302 Eye Dam. 1, H318	
Index: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 Registration number: 01-2119475108-36- XXXX	2-butoxyethanol	<5	Acute Tox. 4, H302, H312, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319	1
CAS: 28348-53-0 EC: 248-983-7 Registration number: 01-2120759186-46- 0000	Kumensulfonát sodný (INCI: SODIUM CUMENESULFONATE)	<5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	

### **Notes**

Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

# **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause irritation of the breathing system.

#### If on skin

Not expected.

#### If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

# 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

# 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

# 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

# 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature min 5 °C, max 25 °C

# 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

# **European Union**

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	OEL	8 hours	98 mg/m³	skin	
2-butoxyethanol (CAS: 111-76-	OEL	8 hours	20 ppm	skin	EU limits
2)	OEL	Short-term	246 mg/m <sup>3</sup>	skin	EU IIIIIICS
	OEL	Short-term	50 ppm	skin	

# United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	WEL	8 hours	999 mg/m <sup>3</sup>		
icontananal (CAS, 67, 63, 0)	WEL	15 minutes	1250 mg/m <sup>3</sup>		GBR
isopropanol (CAS: 67-63-0)	WEL	8 hours	400 ppm		GBK
	WEL	15 minutes	500 ppm		
	WEL	8 hours	123 mg/m³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
2-butoxyethanol (CAS: 111-76-	WEL	15 minutes	246 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	CDD
2-butoxyethanor (CAS: 111-76- 2)	WEL	8 hours	25 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	50 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

## Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

# **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance liquid

Physical state liquid at 20°C

color Blue

Odour Characteristic, slightly alcoholic

Odour threshold data not available pH 9 (undiluted at 23 °C)

Melting point/freezing point  $0 \, ^{\circ}\text{C}$  Initial boiling point and boiling range  $100 \, ^{\circ}\text{C}$  Flash point  $>100 \, ^{\circ}\text{C}$ 

Evaporation rate data not available Flammability (solid, gas) data not available

Upper/lower flammability or explosive limits

flammability limits data not available explosive limits data not available Vapour pressure data not available Vapour density data not available Relative density data not available

Solubility(ies)

solubility in water miscible

solubility in fats data not available
Partition coefficient: n-octanol/water data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
Viscosity <100 mPa.s

Explosive properties The product does not have explosive properties.

Oxidising properties The product has no oxidizing properties.

9.2. Other information

Density 1.015 g/cm³ at 20 °C ignition temperature data not available

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

not available

# 10.2. Chemical stability

The product is stable under normal conditions.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

1.0 Revision date Version

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. **Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### **Hazardous decomposition products**

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

No toxicological data is available for the mixture.

## **Acute toxicity**

Based on available data the classification criteria are not met.

#### 2-butoxyethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50		1480 mg/kg		Rat	
Dermal	LD50		220 mg/kg		Rat	
Inhalation (vapor)	LC50		2900 mg/kg	4 hour	Rat	

## Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50		>10000 mg/kg		Rat (Rattus norvegicus)	

# isopropanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50		>2000 mg/kg		Rat	
Dermal	LD50		>2000 mg/kg		Rat	
Inhalation (vapor)	LC50		>5 mg/kg	4 hour	Rat	

# Kumensulfonát sodný (INCI: SODIUM CUMENESULFONATE)

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50	OECD 401	>2000 mg/kg		Rat	

# Skin corrosion/irritation

Based on available data the classification criteria are not met.

# Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

## Carcinogenicity

6/10

Based on available data the classification criteria are not met.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### **Aspiration hazard**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

# **Acute toxicity**

Data for the mixture are not available.

#### 2-butoxyethanol

Parameter	Method	Value	Time of exposure	Species	Environmen t
LC50		>1000 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EC50		1720-5000 mg/l	24 hour	Daphnia (Daphnia magna)	
EC50		>100 mg/kg	7 day	Algae (Scenedesmus subspicatus)	

# Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

Parameter	Method	Value	Time of exposure	Species	Environmen t
EC50		460 µg/l	48 hour	Daphnia (Daphnia magna)	Freshwater
LC50		960 µg/l	96 hour	Fishes (Pimephales promelas)	Freshwater

# isopropanol

Parameter	Method	Value	Time of exposure	Species	Environmen t
LC50		>100 mg/l	96 hour	Fishes	
EC50		>100 mg/l	48 hour	Daphnia	
IC50		>100 mg/l	72 hour	Algae	

# Kumensulfonát sodný (INCI: SODIUM CUMENESULFONATE)

Parameter	Method	Value	Time of exposure	Species	Environmen t
EC50	OECD 202	>100 mg/l	48 hour	Daphnia (Daphnia magna)	

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

### **Chronic toxicity**

Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

Parameter	Value	Time of exposure	Species	Environment
NOEC	320 µg/l	30 day	Fishes (Pimephales promelas)	Freshwater

#### 12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

## 12.3. Bioaccumulative potential

Not available.

# 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Other adverse effects

Not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

# Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

# **SECTION 14: Transport information**

# 14.1. UN number

Not subject to ADR

### 14.2. UN proper shipping name

not available

# 14.3. Transport hazard class(es)

not available

## 14.4. Packing group

not available

# 14.5. Environmental hazards

not available

# 14.6. Special precautions for user

Reference in the Sections 4 to 8.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date 29. August 2019

Revision date Version 1.0

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

# A list of standard risk phrases used in the safety data sheet

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H333	Harmful if inhaled

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

## Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

# Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockadeICAO International Civil Aviation OrganizationIMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Cleaner FORCE sprayer 750 ml - blue

Creation date	29. August 2019		
Revision date		Version	1.0

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

Lowest observed adverse effect concentration LOAFC

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level **NOEC** No observed effect concentration NOFI No observed effect level

**OEL** Occupational Exposure Limits PBT Persistent, Bioaccumulative and Toxic Predicted no-effect concentration **PNEC** 

ppm Parts per million

**REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

**UVCB** Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Eye Dam. Serious eye damage

Eye Irrit. Eye irritation Flammable liquid Flam. Lig. Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

# Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.