	SAFE	TY DATA SHEET
	according to Regulation	on (EC) No 1907/2006 (REACH) as amended
	Cleaner FORC	E PRO to refill - 1 L yellow
	on date 30. August 2019	
	on date	Version 1.0
	ON 1: Identification of the substance/mi	Cleaner FORCE PRO to refill - 1 L yellow
1.1.	Product identifier Substance / mixture	mixture
1.2.	Relevant identified uses of the substant	
1.2.	Mixture's intended use	Cleaning and degreasing agent, intended especially for washing and cleaning bicycles.
	Mixture uses advised against	not available
1.3.	Details of the supplier of the safety dat Manufacturer	a sheet
	Name or trade name	BIO MIO, spol. s r. o.
	Address	Průmyslová 520, Lukov, 76317
		Czech Republic
	Identification number (CRN)	18811388
	VAT Reg No	CZ18811388
	Phone	+420 577 211 012
	E-mail	info@biomio.cz
	Web address	www.biomio.cz
	Competent person responsible for the s	afety data sheet
	Name	BIO MIO, spol. s r. o.
	E-mail	info@biomio.cz
1.4.	Emergency telephone number	
	National Health Service (NHS) 111 National poisoning information centre Scotla	
		and, NHS 24: 111
SECTI 2.1.	ON 2: Hazards identification Classification of the substance or mixtu	
	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous.	
	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318	re nce with Regulation (EC) No 1272/2008
	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard sta	tements is given in the section 16.
	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318	tements is given in the section 16.
	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage.	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	are nce with Regulation (EC) No 1272/2008 tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements	tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard stat Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word	are nce with Regulation (EC) No 1272/2008 tements is given in the section 16.
2.1.	ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger	tements is given in the section 16. health and the environment
2.1.	 ON 2: Hazards identification Classification of the substance or mixtue Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C 	tements is given in the section 16. health and the environment
2.1.	 ON 2: Hazards identification Classification of the substance or mixtur Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C tetrasodium ethylene diamine tetraacetate 	tements is given in the section 16. health and the environment
2.1.	 ON 2: Hazards identification Classification of the substance or mixtu Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C tetrasodium ethylene diamine tetraacetate Hazard statements 	tements is given in the section 16. health and the environment
2.1.	ON 2: Hazards identification Classification of the substance or mixture Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C12) tetrasodium ethylene diamine tetraacetate Hazard statements H318 Causes serious eye damage	tements is given in the section 16. health and the environment
2.1.	ON 2: Hazards identification Classification of the substance or mixture Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C12) tetrasodium ethylene diamine tetraacetate Hazard statements H318 Causes serious eye damage	The nee with Regulation (EC) No 1272/2008 tements is given in the section 16. health and the environment
2.1.	ON 2: Hazards identification Classification of the substance or mixture Classification of the mixture in accorda The mixture is classified as dangerous. Eye Dam. 1, H318 Full text of all classifications and hazard star Most serious adverse effects on human Causes serious eye damage. Label elements Hazard pictogram View Signal word Danger Hazardous substances Etoxylované alkoholy C12-C15 (INCI: C12-C12) tetrasodium ethylene diamine tetraacetate Hazard statements H318 Causes serious eye da Precautionary statements P101 If medical advice is not	The nee with Regulation (EC) No 1272/2008 tements is given in the section 16. health and the environment

Cleaner FORCE PRO to refill - 1 L yellow Creation date 30. August 2019 Revision date Version 1.0

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

P310

2.3. **Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	n numbers Substance name		Classification according to Regulation (EC) No 1272/2008	Note.			
CAS: 68131-39-5	Etoxylované alkoholy C12-C15 (INCI: C12- C15 PARETH-7)	<5	Eye Dam. 1, H318 Aquatic Acute 1, H400				
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	isopropanol	<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1			
Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9 Registration number: 01-2119486762-27- 0000	tetrasodium ethylene diamine tetraacetate	<5	Acute Tox. 4, H302 Eye Dam. 1, H318				
Index: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 Registration number: 01-2119475108-36- XXXX	2-butoxyethanol	<5	Acute Tox. 4, H302, H312, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319	1			

Notes

Substance for which exposure limits of Community for working environment exist. 1

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures 4.1.

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

according to Regulation (EC) No 1907/2006 (REACH) as amended

- EODCE DDO to rofill vallaw 4 1

Creati	on date 30. August 2019			
Revisi	on date	Version	1.0	
	If swallowed			
	Rinse out the mouth with clean water. In the	e event of issues, find medical help).	
4.2.	Most important symptoms and effects,	both acute and delayed		
	If inhaled			
	Inhaling vapours can cause irritation of the	breathing system.		
	If on skin			
	Not expected.			
	If in eyes			
	Causes serious eye damage.			
	If swallowed			
	Corrosion of the digestion system can occur			
4.3.	Indication of any immediate medical at	tention and special treatment n	eeded	
	Symptomatic treatment.			

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eves.

6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. **Reference to other sections**

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

min 5 °C, max 25 °C

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature

7.3. Specific end use(s)

not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date 30. August 2019

Version

1.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	OEL	8 hours	98 mg/m³	skin	
2-butoxyethanol (CAS: 111-76-	OEL	8 hours	20 ppm	skin	
2)	OEL	Short-term	246 mg/m ³	skin	EU limits
	OEL	Short-term	50 ppm	skin	

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	WEL	8 hours	999 mg/m ³		
isopropanol (CAS: 67-63-0)	WEL	15 minutes	1250 mg/m ³		GBR
	WEL	8 hours	400 ppm		GDK
	WEL	15 minutes	500 ppm		
	WEL	8 hours	123 mg/m ³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
2-butoxyethanol (CAS: 111-76-	WEL	15 minutes	246 mg/m ³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
2)	WEL	8 hours	25 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	50 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date

Version

1.0

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

30. August 2019

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Appearance liquid liquid at 20°C Physical state color yellow Odour Characteristic, slightly alcoholic Odour threshold data not available 9.5-11.0 (3% solution at 23 °C) pН 0 °C Melting point/freezing point Initial boiling point and boiling range 100 °C >100 °C Flash point Evaporation rate data not available Flammability (solid, gas) data not available Upper/lower flammability or explosive limits flammability limits data not available data not available explosive limits Vapour pressure data not available Vapour density data not available Relative density data not available Solubility(ies) solubility in water miscible solubility in fats data not available Partition coefficient: n-octanol/water data not available Auto-ignition temperature data not available Decomposition temperature data not available <100 mPa.s Viscosity Explosive properties The product does not have explosive properties. Oxidising properties The product has no oxidizing properties. 9.2. **Other information** 1.02 g/cm³ at 20 °C Density data not available ignition temperature

SECTION 10: Stability and reactivity

10.1.	Reactivity
	not available
10.2.	Chemical stability
	The product is stable under normal conditions.
10.3.	Possibility of hazardous reactions
	Unknown.
10.4.	Conditions to avoid
	The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.
10.5.	Incompatible materials
	Protect against strong acids, bases and oxidizing agents.
10.6.	Hazardous decomposition products
	Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date 30. August 2019

Version

1.0

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-butoxyethanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	1480 mg/kg		Rat	
Dermal	LD50	220 mg/kg		Rat	
Inhalation (vapor)	LC50	2900 mg/kg	4 hour	Rat	

Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	>10000 mg/kg		Rat (Rattus norvegicus)	

isopropanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	>2000 mg/kg		Rat	
Dermal	LD50	>2000 mg/kg		Rat	
Inhalation (vapor)	LC50	>5 mg/kg	4 hour	Rat	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date 30. August 2019

Version

1.0

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-butoxyethanol

Parameter	Value	Time of exposure	Species	Environment
LC50	>1000 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
ECso	1720-5000 mg/l	24 hour	Daphnia (Daphnia magna)	
EC50	>100 mg/kg	7 day	Algae (Scenedesmus subspicatus)	

Etoxylované alkoholy C12-C15 (INCI: C12-C15 PARETH-7)

Parameter	Value	Time of exposure	Species	Environment
EC50	460 µg/l	48 hour	Daphnia (Daphnia magna)	Freshwater
LC50	960 µg/l	96 hour	Fishes (Pimephales promelas)	Freshwater

isopropanol

Parameter	Value	Time of exposure	Species	Environment
LC50	>100 mg/l	96 hour	Fishes	
EC50	>100 mg/l	48 hour	Daphnia	
IC50	>100 mg/l	72 hour	Algae	

Chronic toxicity

Parameter	Value	Time of exposure	Species	Environment
NOEC	320 µg/l	30 day	Fishes (Pimephales promelas)	Freshwater

12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

- Not available.
- 12.4. Mobility in soil
 - Not available.
- 12.5. Results of PBT and vPvB assessment Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date

Version

1.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number
 - Not subject to ADR
- **14.2.** UN proper shipping name not available
- 14.3. Transport hazard class(es) not available
- 14.4. Packing group not available
- 14.5. Environmental hazards not available
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not available

30. August 2019

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet			
H225	Highly flammable liquid and vapour.		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
Guidelines for safe handling used in the safety data sheet			
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P280	Wear eye protection.		

	SAFETY DATA SHEET
	according to Regulation (EC) No 1907/2006 (REACH) as amended
	Cleaner FORCE PRO to refill - 1 L yellow
Creation date Revision date	30. August 2019 Version 1.0
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
P310	present and easy to do. Continue rinsing. Immediately call a doctor.
The product must n	nformation about human health protection ot be - unless specifically approved by the manufacturer/importer - used for purposes other tha The user is responsible for adherence to all related health protection regulations.
-	ons and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation

according to Regulation (EC) No 1907/2006 (REACH) as amended

Cleaner FORCE PRO to refill - 1 L yellow

Creation date Revision date

Version

1.0

STOT SE

Specific target organ toxicity - single exposure

30. August 2019

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.