

according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE

Forks and Shocks 5W

Substance / mixture mixture

UFI KRT4-H08P-Y004-F8KG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

The product is intended for sale to the consumer and the professional/industrial use.

#### Main intended use

PC-TEC-8 Hydraulic fluids, including brake and transmission fluids

#### Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

#### Distributor

Name or trade name KCK Cyklosport-Mode s.r.o.

Address Bartošova 348, Otrokovice - Kvítkovice, 765 02

Czech Republic

Identification number (CRN)18559751VAT Reg NoCZ18559751Phone+420 577 002 077E-mailinfo@kckcyklosport.czWeb addresswww.kckcyklosport.cz

Manufacturer

Name or trade name

Nacházel, s.r.o.

nacházel<sup>®</sup>

Address Průmyslová 11/1472, Praha 10 - Hostivař, 10219

Czech Republic

Identification number (CRN)25734458VAT Reg NoCZ25734458Phone+420 222 351 140E-mailmaziva@nachazel.czWeb addresswww.nachazel.cz

Competent person responsible for the safety data sheet

Name Nacházel, s.r.o.
E-mail maziva@nachazel.cz

## 1.4. Emergency telephone number

European emergency number: 112

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304

## Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

# 2.2. Label elements Hazard pictogram



## Signal word

Danger

#### **Hazardous substances**

Distillates (petroleum), heavy hydrocracked

#### **Hazard statements**

H304 May be fatal if swallowed and enters airways.

## **Precautionary statements**

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

in the working environment								
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note				
CAS: 64741-76-0 EC: 265-077-7 Registration number: 01-2119486951-26	Distillates (petroleum), heavy hydrocracked	90	Asp. Tox. 1, H304	1				

#### **Notes**

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

#### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

## 4.2. Most important symptoms and effects, both acute and delayed

## If inhaled

Cough, headache.

#### If on skin

Not expected.

#### If in eyes

Not expected.

## If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package		
1	bottle	HDPE		
Storage class	1	12 - Other non-combustible liquids		
Storage temperature	n	nin 5 °C, max 40 °C		
Chasifia and usa(s)				

# 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

liquid

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Mask with a filter against organic vapours in a poorly ventilated environment.

#### Thermal hazard

Not available.

Physical state

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Colour	yellow, colourless
Odour	without fragrance
Melting point/freezing point	<-42 °C
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>155 °C
Auto-ignition temperature	>245 °C
Decomposition temperature	data not available

pH non-soluble (in water)
Kinematic viscosity 14-16 mm²/s at 40 °C

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) not determined

Vapour pressure <10 Pa at 20 °C

Density and/or relative density

Density 0.875 g/cm³ at 15 °C Relative vapour density data not available



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

Particle characteristics data not available

Form liquid

9.2. Other information

Combustion temperature >175 °C

Oxidising properties It is not oxidising.

Explosive properties The product does not have explosive properties.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not available

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

## 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

## 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture

## **Acute toxicity**

not available

olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex		
Oral	LD50	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)			
Dermal	LD50	OECD 402	>2000 mg/kg		Rabbit			
Inhalation	LC50	OECD 403	>5000 mg/kg		Rat (Rattus norvegicus)			

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

## Serious eye damage/irritation

Based on available data the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

#### Carcinogenicity

Based on available data the classification criteria are not met.

## Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Repeated dose toxicity

olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex	
	NOAEL		OECD 412	>220 mg/kg				

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

not available

#### 12.2. Persistence and degradability

not available

## 12.3. Bioaccumulative potential

Not available.

## 12.4. Mobility in soil

Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 01 10\* mineral based non-chlorinated hydraulic oils

15 02 02\* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances

## Packaging waste type code

15 01 02 plastic packaging

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations

## 14.2. UN proper shipping name

not relevant

## 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

## 15.2. Chemical safety assessment

not available

## **SECTION 16: Other information**

## A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

# Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 5.0

#### Key to abbreviations and acronyms used in the safety data sheet

**ADR** European agreement concerning the international carriage of dangerous goods by

BCF Bioconcentration Factor CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

**EINECS** European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan European Union FU

**EuPCS** European Product Categorisation System TATA International Air Transport Association

International Code For The Construction And Equipment of Ships Carrying TRC

**Dangerous Chemicals** 

**ICAO** International Civil Aviation Organization IMDG International Maritime Dangerous Goods TMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization **IUPAC** International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

loa Kow Octanol-water partition coefficient NOAEL No observed adverse effect level OEL Occupational Exposure Limits PBT

Persistent, Bioaccumulative and Toxic

Parts per million ppm

Registration, Evaluation, Authorisation and Restriction of Chemicals REACH

RID Agreement on the transport of dangerous goods by rail

Four-figure identification number of the substance or article taken from the UN UN

Model Regulations

**UVCB** Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Asp. Tox. Aspiration hazard

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## Recommended restrictions of use

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## More information

Classification procedure - calculation method.

#### Statement



according to Commission Regulation (EU) 2020/878 as amended

# olej tlumičový FORCE Forks and Shocks 5W / Oil FORCE Forks and Shocks 5W

Creation date 23rd August 2007

Revision date 12th July 2024 Version 5.0

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.