Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300



Date: 02/10/2013 Page 1/9 Revision: N°5 (02/10/2013)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197

Product code: A10300.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name: SICO.

Address: 577 RUE DU POMMARIN - BP 16 - .38 341.VOREPPE.France.

Telephone: 04 76 50 85 50. Fax: 04 76 50 85 67.

sico.fds@sico.net www.sico.net

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS/ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable aerosol, Category 1 (Aerosol 1, H222 - H229).

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Extremely flammable (F+, R 12).

May produce an allergic reaction.

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements

Mixture for aerosol application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS02

Signal Word : DANGER

Additional labeling:

EUH208 Contains ROSIN. May produce an allergic reaction.

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P103 Read label before use.

Precautionary statements - Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Revision: N°5 (02/10/2013)

Date: 02/10/2013 Page 2/9

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Precautionary statements - Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

Precautionary statements - Disposal:

P501 Dispose of contents/container according to the local rules.

Other information:

Do not use for a usage other one than the one for wich the product is intended.

2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European CHemical s Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 601-004-00-0	GHS02, GHS04	F+	C	10 <= x % < 25
CAS: 106-97-8	Dgr	F+;R12	[1]	
EC: 203-448-7	Flam. Gas 1, H220			
BUTANE				
INDEX: 601-003-00-5	GHS02, GHS04	F+	[1]	10 <= x % < 25
CAS: 74-98-6	Dgr	F+;R12		
EC: 200-827-9	Flam. Gas 1, H220			
PROPANE				
INDEX: 601-004-00-0	GHS02, GHS04	F+	C	$2.5 \ll x \% < 10$
CAS: 75-28-5	Dgr	F+;R12	[1]	
EC: 200-857-2	Flam. Gas 1, H220			
ISOBUTANE				
CAS: 57-55-6			[1]	$2.5 \ll x \% < 10$
EC: 200-338-0				
PROPYLENE GLYCOL				
INDEX: 030-013-00-7	GHS09	N	[1]	$0 \le x \% < 1$
CAS: 1314-13-2	Wng	N;R50/53		
EC: 215-222-5	Aquatic Acute 1, H400			
	M Acute = 1			
ZINC OXIDE	Aquatic Chronic 1, H410			
	M Chronic = 1			
INDEX: 007-001-01-2	GHS05, GHS09	C,N	В	$0 \le x \% < 1$
CAS: 1336-21-6	Dgr	C;R34		
EC: 215-647-6	Skin Corr. 1B, H314	N;R50		
	Aquatic Acute 1, H400			
AMMONIA SOLUTION	M Acute = 1			
INDEX: 650-015-00-7	GHS07	Xi	[1]	0 <= x % < 1
CAS: 8050-09-7	Wng	Xi;R43		
EC: 232-475-7	Skin Sens. 1, H317			
ROSIN				

013) Revision: N°5 (02/10/2013)

Date: 02/10/2013 Page 3/9

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

CAS: 61788-90-7	GHS07, GHS05, GHS09	Xn,N	0 <= x % < 1
EC: 263-016-9	Dgr	Xn;R22	
	Acute Tox. 4, H302	Xi;R38-R41	
OXYDE DE (COCO FRACTONNÉ)	Skin Irrit. 2, H315	N;R50	
DIMÉTHYLAMINE	Eye Dam. 1, H318		
	Aquatic Acute 1, H400		
	M Acute = 1		

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)

2013) Revision: N°5 (02/10/2013)

Date: 02/10/2013 Page 4/9

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

- nitrogen dioxide (NO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Packaging

Always keep in packaging made of an identical material to the original.

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

Date: 02/10/2013 Page 5/9

Revision: N°5 (02/10/2013)

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
106-97-8	1000 ppm	-	-	-	-	
74-98-6	1000 ppm	-	-	-	-	
75-28-5	1000 ppm	-	-	-	-	
1314-13-2	2 mg/m3	10 mg/m3	-	-	R	
- Germany - AGW (BA	AuA - TRGS 900	, 21/06/2010) :				
CAS	VME:	VME:	Excess	Notes		
106-97-8	1000 ml/m3	2400 mg/m3	4(II)	DFG		
74-98-6	1000 ml/m3	1800 mg/m3	4(II)	DFG		
75-28-5	1000 ml/m3	2400 mg/m3	4(II)	DFG		
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
106-97-8	800	1900	-	-	-	-
1314-13-2	-	5	-	-	-	-
8050-09-7	-	0.1	-	-	-	65.66
- Switzerland (SUVA 2	2009):					
CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Temps:	RSB:
106-97-8	1900	800	-	-	-	-
74-98-6	1800	1000	7200	4000	4x15	-
75-28-5	1900	800	-	-	-	-
1314-13-2	3a	-	3a	-	15 min	-
8050-09-7	-	-	-	-	-	S
- UK / WEL (Workpla	ce exposure limit	ts, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
106-97-8	600 ppm	750 ppm	-	-	-	
57-55-6	150 ppm	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

Date: 02/10/2013 Page 6/9

Revision: N°5 (02/10/2013)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state : fluid liquid.

spray.

Important health, safety and environmental information

pH: Not stated.

slightly basic.

Boiling point/boiling range : not specified.

Vapour pressure (50°C) : not relevant.

 $\begin{array}{lll} Density: & > 1 \\ Water solubility: & Soluble. \\ Melting point/melting range: & not specified. \\ Self-ignition temperature: & not specified. \\ Decomposition point/decomposition range: & not specified. \\ Chemical combustion heat: & >= 30 kJ/g. \\ \end{array}$

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

013) Revision: N°5 (02/10/2013)

Date: 02/10/2013 Page 7/9

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

OXYDE DE (COCO FRACTONNÉ) DIMÉTHYLAMINE (CAS: 61788-90-7)

Algae toxicity: ECr50 = 0.11 mg/l

Factor M = 1

Species: Pseudokirchnerella subcapitata

Duration of exposure: 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

OXYDE DE (COCO FRACTONNÉ) DIMÉTHYLAMINE (CAS: 61788-90-7)

Biodegradability: Fast degrading.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2013).

14.1. UN number

1950

14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

013) Revision: N°5 (02/10/2013)

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

Date: 02/10/2013 Page 8/9

14.3. Transport hazard class(es)

- Classification:



2.1

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	1 L	190 327 344 625	E0	2	D

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	2.1	See SP63	-	SP277	F-D,S-U	63 190 277 327	E0
						344 959	

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	2.1	-	-	203	75 kg	203	150 kg	A145	E0
								A167	
								A145	
								A167	
								A802	
	2.1	-	-	Y203	30 kg G	-	-	A145	E0
								A167	
								A802	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Directive 75/734/CEE modified by directive 2013/10/UE
- Regulation EC 1272/2008 modified by regulation EC 618/2012
- Container information:

No data available.

- Particular provisions :

No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704)

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

/10/2013) Revision: N°5 (02/10/2013)

Date: 02/10/2013 Page 9/9

Name: REGONFLE PNEU AVEC CANULE 75 ML HUTCHINSON REF AD60197 - A10300

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Extremely flammable

Contains:

Contains 650-015-00-7 ROSIN. May produce an allergic reaction.

Risk phrase:

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 12 Extremely flammable.

Safety phrase:

S 16 Keep away from sources of ignition - No smoking.

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

S 51 Use only in well-ventilated areas.

Do not use for a usage other one than the one for wich the product is intended.

S 23 Do not breathe spray

Title for H, EUH and R indications mentioned in section 3:

H220	Extremely flammable gas.
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 12 Extremely flammable.
R 22 Harmful if swallowed.
R 34 Causes burns

R 34 Causes burns.
R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

R 43 May cause sensitisation by skin contact.

R 50 Very toxic to aquatic organisms.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame